



  
VLADMIVA

**MATERIALS  
FOR COSMETOLOGY  
AND NAIL SERVICES**



... *Beauty is a tremendous power.*

*Faina Ranevskaya*

Cosmetology is the one of the medical speciality. In today's society the main its goal is to save humans external beauty.

It is not a secret that modern successful man should be not the only healthy, but also beautiful. His well-cared appearance is the mark of his social status and material welfare as well.

Cosmetology, as the one of aesthetic sector, which has a goal to form harmonious human's appearance up to modern society standarts, is fast-moving medical speciality and use new inventions and researchings of others region of science.

As we know, the appearance of false nails world owes dentistry. In 1930's the dentists invented the method of growing nails, using filling materials. That is why dentistry must be called as the father of cosmetology.

Modern cosmetology combines knowledge highly-qualified specialists, modern agents and high technology. Its developpment goes faster and faster, offering to us the most advanced methods for saving our beauty.



# CONTENT


Dental Burs «ROSBEL» with natural diamond heads for manicure and pedicure .....	2
Grinding heads for manicure and pedicure .....	20
Disinfectants .....	22
Hemostatic materials .....	28
Decorative cosmetics .....	30
Professional cosmetic agents .....	32
Light-cured materials .....	34
Whitening materials .....	36
Process aids .....	40
Correction materials.....	42
Expendable materials .....	43
Rotary tool for manicure and pedicure .....	44

Belgorod - 2019



# BURS FOR MANICURE AND PEDICURE

## CODE NUMBERS



856.104.168.080.023

A			B	L <sub>2</sub>	C	L <sub>1</sub>	D
8	5	6	10	4	168	080	023
Working part material – DIAMOND	Diamond grain size – Fine	Metal binder – galvanic method	Shank type	Overall length of tool	Working part form	Working part length	Working part diameter

WE ARE PRODUCING 6 KINDS OF BURS DEPENDING ON DIAMOND GRAINS.  
COLOR CODES ARE AGREED WITH COMMON INTERNATIONAL STANDARDS.

## COLOR CODE





















CODE	COLOR	MEDIUM GRAINSIZE (MCM)	PURPOSE
836	Yellow	25 extrafine	for polishing
856	Red	46 fine	for finishing
866	Blue	107 medium	for universal processing
876	Green	151 coarse	for fast processing
886	Black	181 very coarse	for fast processing

## SHANK TYPE

SHANK TYPE	CODE	OVERALL LENGTH	SHANK DIAMETER
Handpiece	104	 standard (44,5 ± 0,5 mm)	Ø 2,35 mm



## BURS WORKING PART SHAPES

	001	Spherical (round)
	010	Inverted cone
	019	Shouldered inverted cone
	107	Cylindrical (form), side and end cutting
	126	Cylindrical, point end
	137	Cylindrical, semi-spherical end
	164	Cone, thin peak
	168	Cone (truncated)
	194	Cone, domical (semi-spherical) end
	225	Inverted cone
	237	Pear
	243	Flame, standard
	244	Flame with well rounded end
	245	Cylindrical, pointed, long
	254	Bud
	260	Rounded bud
	266	Long rounded bud
	272	Bullet
	277	Egg
	303	Lens

# BURS FOR MANICURE AND PEDICURE

## 001 SPHERICAL (ROUND)



L <sub>2</sub> mm	45,0														
836.104.001.000.	010	012		016	018										
856.104.001.000.	010	012	014	016	018	021	023	025	027		031			040	050
866.104.001.000.		012	014	016	018	021	023	025	027	029	031	033		040	050
876.104.001.000.		012	014	016	018	021	023	025	027	029		033		040	050
886.104.001.000.				016	018	021	023	025	027		031	033	035		

- Opening nail vallum
- Sinus treatment - zones between the nail and the lateral roller
- Nail plate piercing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE

# BURS FOR MANICURE AND PEDICURE

## 010 INVERTED CONE



L <sub>2</sub> mm	45,0				
856.104.010.016.	012	014	016		021
866.104.010.016.		014	016	018	021
876.104.010.016.		014	016	018	021
886.104.010.016.			016	018	021

L <sub>2</sub> mm	45,0		
856.104.010.030.	031		
866.104.010.030.	030	033	035
876.104.010.030.	030	033	035
886.104.010.030.		033	035

L <sub>2</sub> mm	45,0		
856.104.010.025.		025	028
866.104.010.025.	023	025	027
876.104.010.025.	023	025	027
886.104.010.025.	023	025	027

L <sub>2</sub> mm	45,0
866.104.010.040.	050
876.104.010.040.	050

## 019 INVERTED CONE WITH SHOULDERS



L <sub>2</sub> mm	45,0		
866.104.019.022.	014	016	018

L <sub>2</sub> mm	45,0	
866.104.019.025.	021	023
876.104.019.025.	021	

- Creating «smile line» during correction
- Nail vallumprocessing
- Removal of detached nail plate
- Crack processing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
866.	104.	019.	022.	014
CODE NUMBER FOR ORDERING				



# BURS FOR MANICURE AND PEDICURE

## 107 CYLINDRICAL (FORM), SIDE AND END CUTTING



L <sub>2</sub> mm	45,0	
856.104.107.040.	010	
866.104.107.040.	010	012
876.104.107.040.	010	012


L <sub>2</sub> mm	45,0											
836.104.107.060.	010					021						
856.104.107.060.	010	012	014	016	018	021	023	025		028	031	
866.104.107.060.	010	012	014	016	018	021	023	025	027	030	033	040
876.104.107.060.	010	012	014	016	018	021	023	025	027		033	040





836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE



# BURS FOR MANICURE AND PEDICURE





L <sub>2</sub> mm	45,0
866.104.107.070.	050
876.104.107.070.	050
886.104.107.070.	050



L <sub>2</sub> mm	45,0			
836.104.107.080.			031	
856.104.107.080.	021		031	040
866.104.107.080.	023	025	033	040
876.104.107.080.	023	025	033	040


L <sub>2</sub> mm	45,0
856.104.107.090.	050
866.104.107.090.	050
876.104.107.090.	050

L <sub>2</sub> mm			45,0			
856.104.107.100.						040
866.104.107.100.	010	012	023	025	027	040
876.104.107.100.		012		025	027	

L <sub>2</sub> mm	45,0
866.104.107.120.	027
876.104.107.120.	027



- Nail vallum processing
- Free board of nail processing
- Polishing natural nail
- Adjoining cuticle processing
- Nail length correction
- Crack processing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
856.	104.	107.	040.	010
CODE NUMBER FOR ORDERING				

# BURS FOR MANICURE AND PEDICURE

## 126 CYLINDRICAL, POINT END



L <sub>2</sub> mm	45,0								
856.104.126.080.			014						
866.104.126.080.	010	012	014	016	018	025	027	033	040
876.104.126.080.	010	012	014	016	018	025	027	033	040

			</	

- Nail vallum processing
- Footstep processing
- Calvus processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE



# BURS FOR MANICURE AND PEDICURE

## 137 CYLINDRICAL, SEMI-SPHERICAL END



L <sub>2</sub> mm	45,0							
836.104.137.080.		018	021	023	025		031	
856.104.137.080.	016	018	021	023	025		031	
866.104.137.080.		018	021	023	025	027	033	040
876.104.137.080.		018	021	023	025	027	033	040
886.104.137.080.								040

L <sub>2</sub> mm	45,0
866.104.137.100.	040
876.104.137.100.	040

L <sub>2</sub> mm	45,0				
866.104.137.120.	018	025	027	040	050
876.104.137.120.	018	025	027	040	050

- Nail vallum processing
- Nail grinding before extension
- Crack processing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
836.	104.	137.	080.	018
CODE NUMBER FOR ORDERING				

# BURS FOR MANICURE AND PEDICURE

## 164 CONE, THIN PEAK



L <sub>2</sub> mm	45,0										
836.104.164.100.	010										
856.104.164.100.	010	012	014	016	018	021	023	025		031	050
866.104.164.100.		012	014	016	018	021	023	025	027	033	050
876.104.164.100.			014	016	018	021	023	025	027	033	050

L <sub>2</sub> mm	45,0			
856.104.164.115.	016	018	021	
866.104.164.115.		018	021	050
876.104.164.115.	014	018	021	050

- Nail valum opening
- Nail side line processing
- Hard-to-get nail sections processing
- Uplift and processing of not-adjoint cuticle
- Sinus opening
- Hyponychial callosity processing
- Crack processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE

# BURS FOR MANICURE AND PEDICURE

## 168 CONE (TRUNCATED)



L <sub>2</sub> mm	45,0	
836.104.168.080.	023	
856.104.168.080.	023	
866.104.168.080.	023	025
876.104.168.080.	023	025

L <sub>2</sub> mm	45,0							
836.104.168.100.			021					
856.104.168.100.			021	023				050
866.104.168.100.	014	018	021	023	025	033	040	050
876.104.168.100.			021	023	025	033	040	050
886.104.168.100.								050

- Free board of nail processing
- Nail vallum grinding
- Polishing natural nail
- Crack processing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
836.	104.	168.	080.	023
CODE NUMBER FOR ORDERING				



# BURS FOR MANICURE AND PEDICURE

## 194 CONE, DOMICAL (SEMI-SPHERICAL) END



L <sub>2</sub> mm	45,0						
856.104.194.090.	012	014	016	018	025		050
866.104.194.090.		014	016	018	025	027	050
876.104.194.090.		014	016	018	025		050

L <sub>2</sub> mm	45,0										
836.104.194.100.				018	021		025				
856.104.194.100.	012	014	016	018	021	023	025	027			031
866.104.194.100.		014	016	018	021	023	025	027	029	030	033
876.104.194.100.		014	016	018	021	023	025	027	029	030	033

- Pterygium and cuticle processing and removing
- Nail vallum polishing
- Polishing natural nail
- Hyponychial processing
- Footstep processing
- Crack processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE

# BURS FOR MANICURE AND PEDICURE

## 225 INVERTED CONE



L <sub>2</sub> mm	45,0		
856.104.225.040.	014	016	
866.104.225.040.	014	016	018
876.104.225.040.		016	018

L <sub>2</sub> mm	45,0		
856.104.225.060.			028
866.104.225.060.	025	027	030
876.104.225.060.	025	027	030

- Nail vallum processing
- Creating «smile line» during correction
- Remove detached nail
- Crack processing



## 237 PEAR



L <sub>2</sub> mm	45,0		
856.104.237.070.			031
866.104.237.070.	021	023	033
876.104.237.070.			033

L <sub>2</sub> mm	45,0
866.104.237.120.	050
876.104.237.120.	050
886.104.237.120.	050

- Nail vallum processing
- Footstep processing
- Callosity and foot corn grinding

COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
856.	104.	237.	070.	031
CODE NUMBER FOR ORDERING				

# BURS FOR MANICURE AND PEDICURE

## 243 FLAME, STANDARD



L <sub>2</sub> mm	45,0							
836. 104.243.080.			016	018	021			
856. 104.243.080.	012	014	016	018	021	023	025	
866. 104.243.080.		014	016	018	021	023	025	027
876. 104.243.080.		014	016	018	021	023	025	027

## 244 FLAME WITH WELL ROUNDED END



L <sub>2</sub> mm	45,0							
856. 104.244.100.	012	014	016	018	021	023	025	
866. 104.244.100.		014	016	018	021	023	025	027

- Nail vallum and cuticle zone opening
- Crack processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE



# BURS FOR MANICURE AND PEDICURE

## 245 CYLINDRICAL, POINTED, LONG



L <sub>2</sub> mm	45,0							
836.104.245.080.		016						
856.104.245.080.	014	016		021		025		031
866.104.245.080.		016	018		023		027	033
876.104.245.080.			018				027	033

L <sub>2</sub> mm	45,0					
856.104.245.100.	010	012	014	016		
866.104.245.100.		012	014	016	018	025
876.104.245.100.		012	014	016	018	025



- Nail vallum processing
- Nail side line processing
- Natural nail internal correction during extention
- Crack processing
- Hyponychial callosity processing

COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
836.	104.	245.	080.	016
CODE NUMBER FOR ORDERING				

# BURS FOR MANICURE AND PEDICURE

## 254 BUD



L <sub>2</sub> mm	45,0		
836. 104.254.030.		014	016
856. 104.254.030.	012	014	016
866. 104.254.030.	012	014	016
876. 104.254.030.		014	016

L <sub>2</sub> mm	45,0	
836. 104.254.045.	018	
856. 104.254.045.	018	
866. 104.254.045.	018	021
876. 104.254.045.	018	021

L <sub>2</sub> mm	45,0					
836. 104.254.050.	021	023				
856. 104.254.050.	021	023	025		031	
866. 104.254.050.	021	023	025	027	033	040
876. 104.254.050.	021	023	025	027	033	040

- Nail vallum processing
- Pterygium and cuticle processing and removing
- Crack processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE

# BURS FOR MANICURE AND PEDICURE

## 260 ROUNDED BUD




L <sub>2</sub> mm	45,0
856.104.260.120.	050
866.104.260.120.	050
876.104.260.120.	050

- Nail vallum and cuticle processing.
- Fingers web processing
- Footstep processing
- Callosity and foot corn grinding



## 266 LONG ROUNDED BUD



L <sub>2</sub> mm	45,0
856.104.266.120.	040 050
866.104.266.120.	040 050
876.104.266.120.	040 050

- Opening and processing of nail vallum
- Footstep processing
- Crack processing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
856.	104.	266.	120.	040
CODE NUMBER FOR ORDERING				



# BURS FOR MANICURE AND PEDICURE

## 272 BULLET



L <sub>2</sub> mm	45,0		
836.104.272.150.	031		
856.104.272.150.	031		
866.104.272.150.	031	033	050
876.104.272.150.	031	033	050


- Grinding nail vallum
- Footstep processing
- Crack processing

## 277 EGG



L <sub>2</sub> mm	45,0			
856.104.277.045.	016	018	021	023
866.104.277.045.		018	021	023

- Nail vallum processing
- Nail side line processing
- Crack processing



836 extra fine	856 fine	866 medium	876 coarse	886 very coarse
----------------------	-------------	---------------	---------------	-----------------------

COLOR CODE

# BURS FOR MANICURE AND PEDICURE

## 303 LENS



L <sub>2</sub> mm	45,0		
866.104.303.015.	031	033	050
876.104.303.015.			050

- Artificial nails correction
- Design clearance and ornament removing



COLOR NUMBER	SHANK TYPE	WORKING PART FORM	WORKING PART LENGTH	WORKING PART DIAMETER
866.	104.	303.	015.	031
CODE NUMBER FOR ORDERING				

# GRINDING HEADS FOR MANICURE AND PEDICURE

All types of GRINDING HEADS have been producing

COLOR  
CODE

fine

medium

coarse

grain size



For handpiece

Instrument	Name	Type	Working part diameter mm	Color code (grain size)			Purpose
				fine	medium	coarse	
	Right angle	RA	4,0	●	●		For processing of cuticle, nail vallum, French correction, design lining.
	Right angle	RA	6,0	●	●	●	
	Cone	C	6,0	●	●	●	



# GRINDING HEADS FOR MANICURE AND PEDICURE

For handpiece

Instrument	Name	Type	WP Diameter mm	Color code (grain size)			Purpose
				fine	medium	coarse	
	Vaulted	V	10,0				Footstep grinding, coarse calvus processing.
	Vaulted	V	12,5				
	Orbicular	O	12,5				
	Angle with rounded vertex	ARV	10,8				
	Cone with rounded vertex	CRV	12,5				
	Cone with rounded vertex	CRV	12,8				
	Cone with rounded vertex	CRV	14,5				
	Cone with rounded vertex	CRV	20,0				



The liquid is intended for cleaning small dental diamond instruments

It contains:

- **EDTA salt** forms soluble complexes with calcium ions;
- **Cetrimonium bromide** — wide spectrum antiseptic, cationic detergent;
- **Glutaraldehyde** - has an antimicrobial effect concerning gram-positive and gram-negative bacteria, viruses, and fungi. One cap of the concentrate should be dissolved in 100 ml.


## LIQUID

FOR CLEANING DIAMOND INSTRUMENTS  
(CONCENTRATE)


### PACKAGE

Liquid

125 ml / 500 ml



## Scheme of disinfection and pre-sterilization processing of dental burs with diamond heads «RosBel»

- 
- ```
graph TD; 1[1 Burs are presoaked in the solution of Liquid for cleaning diamond instruments «VladMiVa» for 5-10 minutes] --> 2[2 Washed under running water during 1-2 minutes]; 2 --> 3[3 Immersed in a 2% solution of liquid «Megadez» for 45 minutes.]; 3 --> 4[4 Washed under running water for 5 minutes and sterilize in an autoclave at a temperature of 132 oC for 20 minutes.];
```
- 1** Burs are presoaked in the solution of Liquid for cleaning diamond instruments «VladMiVa» for 5-10 minutes
  - 2** Washed under running water during 1-2 minutes
  - 3** Immersed in a 2% solution of liquid «Megadez» for 45 minutes.
  - 4** Washed under running water for 5 minutes and sterilize in an autoclave at a temperature of 132 oC for 20 minutes.





## Agent for disinfection and pre-sterilized cleaning (concentrate)

The agent is intended for prophylactic disinfection:

- on public facilities — barbershops, beauty salon, baths, saunas, massage parlors;
- in the institutions of education, culture, recreation, sports - swimming pools, cultural and recreational complexes, centers of physical culture and sports, fitness centers, etc.

## MEGADEZ

### ANTIMICROBIAL ACTIVITY

Has an antimicrobial effect concerning gram-positive and gram-negative bacteria (including tuberculosis micro bacteria), fungi *Candida* and *Trichophyton*, mold fungi, viruses, (including hepatitis, poliomyelitis and other enterovirus, adenovirus infections, herpetic fever, HIV-infections) activators.

### COMPOSITION

Alkyldimethylbenzylammonium chloride (QAC), glutaric aldehyde, glyoxal, and also technological and functional aids (nonionic surfactant, anticorrosion additive, dye, perfume, distilled water).



*Effective*

### PACKAGE

Polymer bottles and canisters with the capacity of 1, 3 or 5 liters. 3 years shelf-life guarantee

*All drugs comply with sanitary and epidemiological rules and regulations СанПиН 2.1.2.2631-10, have certificates of registration, instructions for use, declarations of conformity.*

# DISINFECTANTS

The disinfectant «Megadez» has a wide spectrum of activity concerning causatives agents of infection diseases: bacterial, viruses and fungi. Active against gram-positive and gram-negative bacteria.

Working solutions have not corrosion activity, do not spoil the materials, which applied on surfaces.

Before starting disinfection it is necessary to do mechanical cleaning, washing and, where it is possible, clean surfaces before disinfection because organic pollutants reduce disinfection activity of the agent.

Working solutions are prepared by adding the required volumes of the agent in the water at 18-25 ° C. Recommend to prepare the working solution of the agent based on 30% of aqueous liquid of ethylene glycol. Based on the concentration of the working solutions agent is accepted as 100% material.

## Preparing a working solution of agent

# MEGADEZ

based on 100 liters

| Required concentration   | Agent | Water  | Ethylene glycol |
|--------------------------|-------|--------|-----------------|
| 1.0 %                    | 1.0 l | 99 l   | —               |
| 1.5 %                    | 1.5 l | 98.5 l | —               |
| 2.0 %                    | 2.0 l | 90.0 l | —               |
| 2.5 %                    | 2.5 l | 97.5 l | —               |
| 4.0 %                    | 4.0 l | 96.0 l | —               |
| At negative temperatures |       |        |                 |
| 1.0 %                    | 1.0 l | 69 l   | 30              |
| 1.5 %                    | 1.5 l | 68.5 l | 30              |
| 2.0 %                    | 2.0 l | 60.0 l | 30              |
| 2.5 %                    | 2.5 l | 67.5 l | 30              |
| 4.0 %                    | 4.0 l | 66.0 l | 30              |



## Ready-to-use agent for emergency disinfection

The agent is intended for disinfection of small or hard-to-reach surfaces, requiring rapid disinfection of the pieces of furniture, equipment, devices, and instruments.

- on public facilities — barbershops, beauty salon, baths, saunas, massage parlors;
- in the institutions of recreation and sports - halls, sports complexes, fitness centers, tanning salons, etc.

## MEGADEZ - SPRAY

### ANTIMICROBIAL ACTIVITY

Has an antimicrobial effect concerning gram-positive and gram-negative bacteria (including tuberculosis micro bacteria), fungi *Candida* and *Trichophyton*, mold fungi, viruses, (including hepatitis, poliomyelitis and other enterovirus, adenovirus infections, herpetic fever, HIV-infections) activators.

### COMPOSITION

Didecyldimethylammonium chloride, dodecyl dipropylene triamine, propanol-2, propanol-1, as well as functional and technological components.



*Safe-to-use*

### PACKAGE

Polymer bottle with spray 0,5 liters.  
Polymer canisters (with or without pulverizer) 1,0 liters<sup>3</sup>/3,0 liters<sup>3</sup>.

*All drugs comply with sanitary and epidemiological rules and regulations СанПиН 2.1.2.2631-10, have certificates of registration, instructions for use, declarations of conformity.*



## Ready-to-use skin antiseptic

- The antiseptic for hygienic hand washing:
- on public facilities, in the institutions of education, culture, recreation, sports;
- at the perfumery-cosmetic, pharmaceutical and microbiological enterprises;
- surgeons and persons involved in the conduct of surgical interventions.



## MEGASEPT

### ANTIMICROBIAL ACTIVITY

Has an antimicrobial effect concerning gram-positive and gram-negative bacteria (including tuberculosis micro bacteria), fungi Candida, viruses (B and C parenteral hepatitis, HIV, herpetic fever, grippе, including grippе viruses A/H1 N1, A/H5N1, and other acute respiratory viral infection activators).

### COMPOSITION

1-propanol, 2-propanol, alkyl-dimethylbenzylammonium chloride and didecyl-dimethylammonium chloride; components moisturizing and softening the skin of the hands, perfume, water.

*Easy-to-use*

### PACKAGE

Polymeric bottles and canisters with the capacity from 0,02 to 3,0 litres.

*All drugs comply with sanitary and epidemiological rules and regulations СанПиН 2.1.2.2631-10, have certificates of registration, instructions for use, declarations of conformity.*



# HEMOSTATIC MATERIALS



## CAPRAMIN

**Hemostatic action of the main component of the material «Capramin» — aluminum chloride — many times enhance centrimonium bromide which has a bactericidal effect.**

Material «Capramin» is not toxic, easy-to-use, easy awash.

### PACKAGE

Liquid

30 ml

## ALVANES POWDER

### Fine antiseptic powder «Alvanes»

easily sprayed, applying bleeding mucosa surface, stops capillary bleeding.

Powder «Alvanes» contains:

- natural polysaccharide, forming gel in contact with blood;
- sodium alginate, accelerating the formation of blood clots;
- antiseptic (iodoform 0,01%).

Alvanes powder is non-toxic, it can be combined with both antibiotics and antiseptics.

### PACKAGE

Powder

7 g



# HEMOSTATIC MATERIALS

The material «Alumogel» is produced in the form of two gels: «Alumogel» and «Alumogel» (forte).

Gel form allows you to apply the material point, without spreading, while achieving the maximum concentration of hemostatic in the area of hemorrhage.

For more effective and rapid hemostasis in the gel «Alumogel» (forte) introduced iron salts.

Hemostatic gel «Alumogel» is non-toxic, easy to use, does not irritate, is easily washed off with a stream of water.

## PACKAGE

Gel

5 ml



## ENDOZHИ № 4



**Hemostatic liquid** stopping bleeding, contains aluminum chloride.

## PACKAGE

Liquid

15 / 100 / 250 ml



# DECORATIVE COSMETICS



## Varnish for decorative coloring hard tooth tissues

«ColorDent» is intended for coloring tooth enamel to white color with glazy or pearly lustre, and also for decorative coloring in different colors.

Varnish «ColorDent» contains:

- natural film former capable of forming a thin durable film with antiseptic and bactericidal properties;
- solvent;
- thickener;
- color paste based on titanium dioxide or pigment of another color;
- remineralized additive (hydroxyapatite), promoting restoration of tooth mineral structure.
- The varnish is safe to use, do not damage to the oral mucosa. Easy to clean by a toothbrush.

## COLORDENT



### PACKAGE

|                     |      |        |      |
|---------------------|------|--------|------|
| White enamel tint 1 | 6 ml | Lilac  | 6 ml |
| White enamel tint 2 | 6 ml | Pink   | 6 ml |
| Emerald sparks      | 6 ml | Yellow | 6 ml |
| Silver sparks       | 6 ml | Red    | 6 ml |
| Golden sparks       | 6 ml | Blue   | 6 ml |
| Black               | 6 ml | Green  | 6 ml |

Available as a set or separately

*For professional use  
and just for fun*



## Light-cured one-component material

«ColorDent»-LC is intended for decorative teeth coloring to different colors.



## COLORDENT - LC

«ColorDent»-LC is a light-cured one-component composite material of low viscosity, abrasion-resistant, contents fluorinating components that provide a caries-protecting effect.

The material «ColorDent»-LC is produced as paste (white, transparent and colored (5 colors) with twinkling effect). Food colorants correspond to norms of international standards.

### PACKAGE

|                                                  |      |
|--------------------------------------------------|------|
| Transparent                                      | 1 ml |
| White                                            | 1 ml |
| Yellow                                           | 1 ml |
| Orange                                           | 1 ml |
| Red                                              | 1 ml |
| Green                                            | 1 ml |
| Blue                                             | 1 ml |
| Gel for enamel and dentine etching organic based | 3 ml |



## Plasticizing and rejuvenating mask with lifting effect

*Alginate mask provides exceptional care of your skin*

It cleans and moisturizes the skin, improves elasticity and strengthness, giving it a smooth and silky, improves the complexion. It smoothes fine wrinkles, models face oval, has a strong rejuvenating effect. It enhances the effect of cosmetics, applied under the mask. The mask can be used with any skin type.

Alginate mask is recommended for all skin types, especially when your skin needs intensive hydration, rejuvenation, clarification and fatigue removal, and as quick and effective lifting. It is a plasticizing, freezing, it fixes all the contours of the face and body, has a lifting, modeling and strong moisturizing effect.

In addition, the mask improves lymph and blood circulation, has a drainage effect, that allows using it in anticellulite programs. Under its influence there is elimination of toxins and impurities, tissue regeneration, tonification. Alginates contribute to the resorption of stagnation, skin lightening, relieve irritation and inflammation.

## ALGINATE MASK

**ALGINATE MASK** —  
is a fast, efficient and  
guaranteed way to make your  
skin look perfect.  
Just 30 minutes and you  
get clean, healthy  
and shining skin!

### PACKAGE

Mass

30 / 500 g



## COSMETIC PRODUCTS FOR SKIN CARE

### Types of alginate masks:

- Basic
- Aloe Vera
- Camomile
- Chitosan
- Guarana
- Green tea
- Blueberry
- Spirulina
- Poppy
- Coenzyme Q10
- Horse-chestnut
- Grape
- Biden
- Blue Crimean clay



The mask contains salts of alginic acid, which there are in brown seaweed in nature and cannot be found anywhere else. Alginic acid has antibacterial and anti-inflammatory effect, gives excellent results when it's used on oily skin with large pores, stimulates the flow of oxygen to the deeper layers of the dermis. The structure also includes: diatomaceous earth, sodium alginate, calcium sulfate, sodium phosphate, extract of Aloe Vera juice.

It is a universal remedy for the maintenance of youth and beauty. Components of the mask can not actually cause an allergic reaction; it is suitable for all skin types and can be combined with any procedures.

# LIGHT-CURED MATERIALS

## Fluid light-cured composite material

Flowable composite «DentLight»-flow is a low viscosity light-curing paste, based on methacrylate oligomers and modified fine nanofiller.

Radiopaque filler is a combination of modified bariumboronaluminosilicate clusters (0,1-3 microns) and nano silica (5-75 nm).

For light curing material lamp with a wavelength of 420-480 Nm (nanometer) and the intensity of the light flux 850-1000 mW / cm (miliWat /centimeter) is needed.

The composite paste is produced different color shades on a scale of VITA (A2, A3, A3.5, B2, C2, OA3).




## DENTLIGHT - FLOW

### PACKAGE

Paste

2 g



# LIGHT-CURED MATERIALS

## One-component light-cured adhesive

The adhesive «DentLight» provides a strong bond, based on the chemical adhesion, it has reliable marginal integrity and reduces the risk of recurrent bacterial contamination.

The material can be used in combination with any light-cured composite materials.

### PACKAGE

Liquid

5 ml



## DENTLIGHT ADHESIVE

## BELABOND



## Light-cured adhesive

«Belabond» adhesive contains oligomers methacrylate (HEMA, UDMA), polymerization activators, stabilizers, solvents.

### FORM OF ISSUE

Adhesive

5 ml



# WHITENING MATERIALS

## Set of gels for complex treatment of tooth hard tissues

Depending on the concentration of carbamide peroxide the agent can be used at home under dentist supervision (12%, 20%) or in the clinical encounter (30%). We recommend using both of these methods and combine them.

### The set contains:

- «Belagel O» is intended for removal of discolorations, both the ones which was initially on teeth, and appeared with ageing , and also for whitening of pulpless teeth.
- «Belagel Ca/P» is intended for prophylaxis and elimination of high tooth sensitivity, which emergede in the process of whitening.
- «Belagel F» for strengthening of enamel.

# BELAGEL

### SET CONTENT

#### The set contains:

- «Belagel O» is intended for removal of discolorations, both the ones which was initially on teeth, and appeared with ageing, and also for whitening of pulpless teeth.
- «Belagel Ca/P» is intended for prophylaxis and elimination of high tooth sensitivity, which emergede in the process of whitening.
- «Belagel F» for strengthening of enamel.

### PACKAGE

#### For whitening at home

|                                 |       |       |
|---------------------------------|-------|-------|
| «Belagel-O», 20% or 12%         | 1 ml  | 4 pcs |
| «Belagel-Ca/P»                  | 1 ml  | 2 pcs |
| «Belagel F»                     | 1 ml  | 2 pcs |
| The paste for mucosa protection | 5 ml  | 1 pcs |
| Compensation varnish            | 12 ml | 1 pcs |
| PVC plates for cap making       |       | 2 pcs |

## Gel for teeth whitening based on carbamide peroxide

«Belagel-O» is intended for removal of tooth decoloration — yellow or brown blots, which has been on the tooth or has come with the ages. «Belagel-O» is used for whitening pulpless teeth as well.

This is a universal gel for whitening based on carbamide peroxide as the most modern and safe way for whitening. Peroxide is a source of singlet oxygen, which breaks down organics, which colors tooth tissues.



## BELAGEL - O

**Active oxygen** removes bacteria, cooperant to forming unpleasant smell. The whitening gel contains, consequently, there is no drying and dehydration of hard tissues. Teeth do not lose their brightness. Calium ions, which contains «Belagel-O» prevent appearance of teeth sensitivty.

### PACKAGE

Gel 20 %, 12 %

5 ml

| Name of the material     | Whitening material | Clinical use | Home use       |
|--------------------------|--------------------|--------------|----------------|
| «Belagel-O» (30%)        | carbamide peroxide | allowed      | do not allowed |
| «Belagel-O» (20%)        | carbamide peroxide | allowed      | allowed        |
| «Belagel-O» (12%)        | carbamide peroxide | allowed      | allowed        |
| «Belagel-O endo» (60%)   | hydrogen peroxide  | allowed      | do not allowed |
| «Belagel-O active» (30%) | hydrogen peroxide  | allowed      | do not allowed |
| «Belagel-O active» (20%) | hydrogen peroxide  | allowed      | do not allowed |
| «Belagel-O light» (15%)  | hydrogen peroxide  | allowed      | do not allowed |
| «Belagel-O white» (6%)   | hydrogen peroxide  | allowed      | allowed        |

# WHITENING MATERIALS

## Gel for whitening based on hydrogen peroxide 6%

This is a mobile product for making the full course of natural teeth whitening and for brightness sustenance after professional whitening as well.

### PACKAGE

|                                   |        |
|-----------------------------------|--------|
| Gel Belagel-O (White) (pen-brush) | 2,5 ml |
| Gel Belagel-Ca/P (pen-brush)      | 2,5 ml |
| Retractor                         | 1 pcs  |

## BELAGEL - O WHITE





# WHITENING MATERIALS

## Instructions for use:

1. Before whitening, dry up the teeth by tissues.
2. Place the retractor into the oral cavity.
3. Carefully apply on the surface of the front part of teeth thin coat of gel, avoiding insertion to gum and lips.
4. Wait about 30 seconds while whitening gel is drying. After that remove the retractor. Leave the gel for 5-10 minutes and then wash the mouth by water.

**BEFORE**



**AFTER**



## Remineralizing gel

«Belagel-Ca/P» is intended for remineralization of tissues with a lack of minerals and other micro-elements.

Remineralization is mineral compound regeneration in tissue structure in order to increase its strength and security from external aggressive factors and for prophylactic as well.

Components of remineralizing gel are ions, actively entering into hard surface and promoting its mineralization.

By apply gel, remineralization film is appeared, which is active during 3-5 hours and is defense and strengthening of the surface.

Process of remineralization goes continous and naturally, providing balance of materials.



## BELAGEL - Ca/P

1 g «Belagel-Ca/P»  
contains:

11 mg calcium ions  
5 mg phosphorus  
1,8 mg kalium ions  
0,9 mg magnesium ions



**PACKAGE**  
Gel

5 ml / 10 g

## Liquid «EndoZhy №1» and liquid «Anhydrin»

are intended for drying and degreasing, do not contain diethyl ether and ethanol, easy die.

Drying and degreasing are going for 1 minute without using a dry stream of compressed air.

Liquids allow fast and qualitative degrease and dry nail surface. Easy to use.

### PACKAGE

Liquid

15 / 100 / 250 ml



## ENDOZHY № 1

## ANHYDRIN



### PACKAGE

Liquid

20 / 30 / 100 ml





# CORRECTION MATERIALS

## Silicone impression material

Intended for making the individual silicone orthoses

**Orthoses is used for pathology correction:**

- extension of pre-curved finger;
- correction of bulging bone;
- extension of ankyroid deformations;
- treatment of hard callosities.

# BELAST

Orthoses – an external fixture, which eases, fixes and corrects foot fingers. Any changes in the anatomical structure of foot fingers bring up extension pressure in footstep parts. Due to this, there will be osteophyte, callosities, foot corns, verruca, trophic ulcer. Orthoses help spread the pressure avoiding its appearance. It helps to make corrections of foot fingers deformation, also fixes position «non-healthy» fingers and momentary kill the pain cause of changing joint position.

### Advantages of Individual orthoses:

- true to your size;
- integrates individual characteristic of a current footstep;
- provides proper foot position walking;
- alleviate the pain;
- allows avoiding consequences of foot finger deformation: ingrown toenail, painfull cons between foot fingers;
- intended for prophylactic of deformation progress.

### PACKAGE

|        |       |
|--------|-------|
| Liquid | 10 ml |
| Paste  | 20 g  |



# EXPENDABLE MATERIALS

- **Kraft-paper bag** for manicure instruments sterilization;
- **Container** for disinfection and pre-sterilization of medical equipment in therapeutic and prophylactic institutions.



- **Plastic and aluminium stands** for burs storage (168 compartments);
- **Aeneous brush** for burs cleaning.

- **Three-layers mask**, single use, with elastic ear loop;
- **Nitrile gloves** are made from material, which does not contains natural protein. It allows using for people with latex allergy.



# ROTARY TOOL FOR MANICURE AND PEDICURE

**Ergonomic design. The holders under the tip and the tool on the body makes this model easy to use.**

Micro-motor is intended for grinding, polishing and ease cutting all kinds of materials, applying wide range of rotary and processing instruments: fraises, burs, polishing tools, circles, brushes and etc.

Micro-motor is used for in dental technical laboratories, cosmetology shops and at home.

## Advantages:

- control block can be complete with handpieces different modifications and characteristics;
- ergonomic design;
- the holders for handpiece and instrument on machine makes this model more comfortable to use. It is more powerful than its previous model.

## Description:

- control block for dental drilling machine «Marathon», Marathon - 3 Champion (el. power 40Wt, white) with plastic holder (SMT-HSEN) with pedal on/off SFP-27, SMT;
- handpiece micro-motor SDE-H37LN (dental technical, 35000 RPM) SMT stand Handpiece Standard polyurethane, grey, for all kinds of handpieces.

## Characteristics:

Pack - carton box  
RPM 35000  
Torque, Ncm (power) 2.9  
Body material - plastic  
Pedal SFP-27  
Guarantee - Control block - 12 months, handpiece - 6 months  
Type - Brush  
Cabel color - Black  
Body color - White, blue  
Handpiece color - Grey



## DRILLING MACHINE PORTATIVE SINGLE-ENGINE

### Set contains:

Pedal (on/off)  
Handpiece holder on body  
Stand for handpiece  
Handpiece



## «Trade House «VladMiVa»

118 Sadovaya str., Belgorod  
308023, Russia,  
tel./fax.: +7(4722) 200-555  
export@tdvladmiva.ru

### OUR BRANCHES:

1-Krasnaya Str., lit. 2g,  
Ljubertsy, Moscow Region, 140000, Russia  
tel./fax +7(495) 565-42-43, 565-42-44  
ddvladmiva@gmail.com

27, Botanic Str., Orel, 302016, Russia  
tel./fax +7(4862) 72-54-60, 72-54-61  
orel@tdvladmiva.ru

21,1-Pushkarnaya Str., Kursk, 305029, Russia  
tel./fax +7(4712) 227-446, 227-445  
kursk@tdvladmiva.ru

29a, Zhukov micro-district, Stary Oskol, 309512, Russia  
tel./fax +7(4725) 33-39-33, 39-05-03  
st\_oskol@tdvladmiva.ru

101, Working Str., Voronezh, 394049, Russia  
tel./fax +7(473) 239-27-77, 239-27-80  
voronezh@vladmiva.ru

55a, St. Dimitrov Str., Bryansk, 241033, Russia  
tel./fax +7(4832) 595-446  
bryansk@tdvladmiva.ru

46, Demonstration Str., Tula, 300034, Russia  
tel./fax +7(4872) 70-13-20  
tula@tdvladmiva.ru

## «Trade House «VladMiVa»

118 Sadovaya str., Belgorod  
308023, Russia,  
tel./fax.: +7(4722) 200-555  
export@tdvladmiva.ru

**[www.vladmiva.ru](http://www.vladmiva.ru)**

